illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Version number 8

inting date 11.07	.2010	Version number 8	
SECTION undertaking		cation of the substance/mixture	e and of the company/
· 1.1 Product ic	lentifier		
· Trade name:	illbruck FM6	10	
No further rele	dentified use vant informat	es of the substance or mixture and uses a tion available. nce / the mixture Sealant	advised against
Manufacturer tremco illbruck Vlietskade 103	/ Supplier: Productie B. 32, 4241 WC 568000, F: +3	Arkel 31 (0) 183568100	
T: +44 (0) 194	Ltd d, Hindley Gr 2251400, F:	nable from: reen, Wigan, WN2 4HT +44 (0) 1942251410 uk.info@tremco-illbruck.com	
www.tremco-il	bruck.co.uk,		
• 1.4 Emergenc During office	y telephone nours tel.: +4	-	
• 1.4 Emergenc During office I (England/Wale	y telephone nours tel.: +4 es/Scotland),	number: 14 (0) 1942251400. At all other times it is re	
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification 	telephone nours tel.: +4 es/Scotland), Hazards i tion of the se according t	number: 44 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008	a doctor.
• 1.4 Emergend During office I (England/Wale SECTION 2 • 2.1 Classifica	telephone nours tel.: +4 es/Scotland), Hazards i tion of the se according t	number: ¹⁴ (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture	a doctor.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification 	telephone nours tel.: +4 es/Scotland), Hazards i tion of the se according t	number: 44 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008	a doctor.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classifica Classification Aerosol 1 	telephone hours tel.: +4 es/Scotland), Hazards i tion of the si according t H222-H229	number: 14 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of	a doctor.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 	telephone hours tel.: +4 es/Scotland), Hazards i tion of the se according t H222-H229 H332	number: 44 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled.	a doctor.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 	telephone hours tel.: +4 es/Scotland), Hazards i tion of the se according t H222-H229 H332 H315 H319	number: 14 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation.	a doctor. container: May burst if heated.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 	Hazards i Hazards i tion of the se according t H332 H315 H319 H334	number: 14 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l	a doctor. container: May burst if heated.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 	Example 1 telephone hours tel.: +4 es/Scotland), Hazards i tion of the s according t H222-H229 H332 H315 H319 H334 H317	number: ¹⁴ (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l May cause an allergic skin reaction.	a doctor. container: May burst if heated.
 1.4 Emergend During office I (England/Wald SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 	Hazards i tion of the si according t H332 H315 H319 H334 H317 H351	number: 14 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l May cause an allergic skin reaction. Suspected of causing cancer.	a doctor. container: May burst if heated.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 	telephone hours tel.: +4 es/Scotland), Hazards i tion of the s according t H222-H229 H332 H315 H319 H334 H317 H351 H335	number: ¹⁴ (0) 1942251400. At all other times it is re ¹⁴ 0) 1942251400. At all other times it is re ¹⁵ 01 809 2166 (ROI), or otherwise to contact a ¹⁶ dentification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.	a doctor. container: May burst if heated. breathing difficulties if inhaled.
 1.4 Emergend During office I (England/Wald SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 STOT RE 2 	by telephone nours tel.: +4 es/Scotland), Hazards i tion of the s according t H222-H229 H332 H315 H319 H334 H317 H351 H351 H335 H373	number: 14 (0) 1942251400. At all other times it is re 01 809 2166 (ROI), or otherwise to contact a identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l May cause an allergic skin reaction. Suspected of causing cancer.	a doctor. container: May burst if heated. breathing difficulties if inhaled.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 STOT RE 2 2.2 Label eler 	by telephone hours tel.: +4 es/Scotland), Hazards i tion of the s according t H222-H229 H332 H315 H319 H334 H317 H351 H351 H355 H373 ments	number: ¹⁴ (0) 1942251400. At all other times it is re ¹⁴ 0) 1942251400. At all other times it is re ¹⁵ 01 809 2166 (ROI), or otherwise to contact a ¹⁶ identification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolo	a doctor. container: May burst if heated. breathing difficulties if inhaled.
 1.4 Emergend During office I (England/Wale SECTION 2 2.1 Classification Aerosol 1 Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 STOT RE 2 2.2 Label eler Labelling acc 	ey telephone hours tel.: +4 es/Scotland), E Hazards i tion of the st according t H222-H229 H332 H315 H315 H319 H334 H317 H351 H351 H355 H373 ments ording to Re	number: ¹⁴ (0) 1942251400. At all other times it is re ¹⁴ 0) 1942251400. At all other times it is re ¹⁵ 01 809 2166 (ROI), or otherwise to contact a ¹⁶ dentification ubstance or mixture to Regulation (EC) No 1272/2008 Extremely flammable aerosol. Pressurised of Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or l May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.	a doctor. container: May burst if heated. breathing difficulties if inhaled.

illbruck

according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

Trade name: illbruck FM610

(Contd. of page 1)

Hazard pictograms

GHS02 GHS07 GHS08

- · Signal word Danger
- · Contains:
- diphenylmethanediisocyanate, isomers and homologues
- Hazard statements
 - H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P284 In case of inadequate ventilation wear respiratory protection.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- · Supplemental information:
- EUH204 Contains isocyanates. May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Active substance with propellant

 Dangerous components: 		
CAS: 9016-87-9	diphenylmethanediisocyanate, isomers and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
EC number: 911-815-4 Reg.nr.: 01-2119486772-26-xxxx	tris(2-chloro-1-methylethyl)phosphate Acute Tox. 4, H302	10-<20%
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether Flam. Gas 1, H220; Press. Gas (Comp.), H280	10-<20%
	(Cont	d on page 3)

(Contd. on page 3)

acco	Safety data sheet rding to 1907/2006/EC, Article 31	
Printing date 11.07.2019	Version number 8	Revision: 11.07.2019
rade name: illbruck FM610		
		(Contd. of page 2)
CAS: 25791-96-2	Glycerol, propoxylated	5-<10%
NLP: 500-044-5	Acute Tox. 4, H302	5 100/
CAS: 9082-00-2	Ethoxylated/propoxylated glycerol Acute Tox. 4, H302	5-<10%
CAS: 75-28-5	isobutane	5-<10%
EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	Flam. Gas 1, H220; Press. Gas (Cor	
CAS: 74-98-6	propane	1-<5%
EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	Flam. Gas 1, H220; Press. Gas (Cor	mp.), H280
While curing the following sub humidity: Carbon dioxide (CO2) SECTION 4: First aid meas	stances are formed and released b	y a reaction with atmospheric
 After inhalation: Supply fresh air and to be sure c In case of unconsciousness place After skin contact: Immediately wash with water and If symptoms persist consult docto After eye contact: Rinse opened eye for several minities After swallowing: Do not induced 4.2 Most important symptoms No further relevant information are Information for doctor: No furth Hazards No further relevant information are No further relevant information are No further relevant information are An information of any immediate No further relevant information are 	e patient stably in side position for tran d soap and rinse thoroughly. Dr. nutes under running water. If symptom e vomiting; call for medical help immed and effects, both acute and delayed vailable. ner relevant information available. rmation available. e medical attention and special trea vailable.	nsportation. ns persist, consult a doctor. diately.
 For safety reasons unsuitable 5.2 Special hazards arising fro Carbon monoxide (CO) Carbon dioxide (CO2) Nitrogen oxides (NOx) 	ht larger fires with water spray or alcol extinguishing agents: Water with full	l jet
Hydrogen cyanide (HCN)	ces of other toxic gases cannot be exc	luded, e.g.:



according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

Trade name: illbruck FM610

(Contd. of page 3) 5.3 Advice for firefighters • **Protective equipment:** Wear self-contained respiratory protective device. SECTION 6: Accidental release measures · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to Section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. · Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Protect against electrostatic charges. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurised containers. · Information about storage in one common storage facility: Store away from water. · Further information about storage conditions: Keep container tightly sealed. Do not seal receptacle gas tight. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues WEL Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m³

Sen; as -NCO

(Contd. on page 5)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

Trade name: illbruck FM610

CAS: 115	5-10-6 dime	thyl ether	(Contd. of pa
		•	
WEL Short-term value: 958 mg/m ³ , 500 ppm Long-term value: 766 mg/m ³ , 400 ppm			
DNELs	0	5 / 11	
	m effects		
		enylmethanediisocyanate, isomers and homologues	
	industrial	0.05 mg/m3 (workers) (systemic and local effects)	
		0.025 mg/m3 (general public) (systemic and local effects)	
tris(2-ch		ylethyl)phosphate	
Oral		0.52 mg/kg/24h (general public) (systemic effects)	
Dermal		2.08 mg/kg/24h (workers) (systemic effects)	
		1.04 mg/kg/24h (general public) (systemic effects)	
Inhalative		5.82 mg/m3 (workers) (systemic effects)	
	consumer	1.46 mg/m3 (general public) (systemic effects)	
CAS: 115	5-10-6 dime	thyl ether	
Inhalative	industrial	1,894 mg/m3 (workers) (systemic effects)	
	consumer	471 mg/m3 (general public) (systemic effects)	
Short ter	m effects		
		enylmethanediisocyanate, isomers and homologues	
Dermal	industrial	50 mg/kg/24h (workers) (systemic and local effects)	
	industrial	0.1 mg/m3 (workers) (systemic and local effects)	
		0.05 mg/m3 (general public) (local effects)	
tris(2-ch		ylethyl)phosphate	
Dermal	industrial	8 mg/kg/24h (workers) (systemic effects)	
	consumer	4 mg/kg/24h (general public) (systemic effects)	
Inhalative	industrial	22.4 mg/m3 (workers) (systemic effects)	
	consumer	11.2 mg/m3 (general public) (systemic effects)	
PNECs			
tris(2-ch	loro-1-meth	ylethyl)phosphate	
•	64 mg/L (fre		
	064 mg/L (n	,	
	PNEC 1.7 mg/kg dwt (soil)		
1.34 mg/kg dwt (sediment (salt water))			
	5-10-6 dime		
	155 mg/L (fr	•	
	•	wage treatment plant)	
		ntermittent release)	
	016 mg/L (s		
	045 mg/kg (,	
0.069 mg/kg (sediment (salt water))			
I	0.00		(Contd. on pa



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

illbruck

-	
Trade name: illbruck FM610	
 Additional information: The lists valid 8.2 Exposure controls Personal protective equipment: General protective and hygienic mease Keep away from foodstuffs, beverages a Immediately remove all soiled and conta Wash hands before breaks and at the e Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution exposure use self-contained respiratory 	sures: and feed. aminated clothing nd of work. on use respiratory filter device. In case of intensive or longer protective device. conditions of poor ventilation unless a protective mask with an
For further guidance, please refer to HSE HSG53 "Respirator • Protection of hands:	y Protective Equipment at work - A Practical Guide".
Protective gloves	
 Material of gloves Nitrile rubber, NBR Recommended thickness of the materia Butyl rubber, BR Recommended thickness of the materia Penetration time of glove material For the mixture of chemicals mentione (Permeation according to EN 374 Part 3) Eye protection: 	I: \geq 0.7 mm ad below the penetration time has to be at least 480 minutes
Tightly sealed goggles	
· Body protection:	
Protective work clothing	
SECTION 9: Physical and chemi	ical properties
9.1 Information on basic physical and General Information Appearance:	d chemical properties
Form:	Aerosol
Colour: · Odour:	According to product specification Characteristic

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31



Version number 8

Revision: 11.07.2019

Printing date	11.07.2019
---------------	------------

Trade name: illbruck FM610

Version nun

	(Contd. of page
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Melting point/freezing point: 	Not applicable, as aerosol.
	Undetermined.
· Flash point:	-97 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive a
	vapour mixtures are possible.
· Explosion limits:	
Lower:	3.0 Vol %
Upper:	18.6 Vol %
· Vapour pressure at 20 °C:	5200 hPa
· Density at 20 °C:	0.98 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Immiscible / difficult to mix.
· Partition coefficient: n-octanol/w	ater: Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EU)	200.5 g/l
VOC (EC)	20.50 %
 9.2 Other information 	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- \cdot 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

GB

according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Trade name: illbruck FM610

SECTION 11: Toxicological information 11.1 Information on toxicological effects · Acute toxicity Harmful if inhaled. · LD/LC50 values relevant for classification: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues Oral LD50 >10,000 mg/kg (rat) LD50 >10,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h 1.5 mg/L (rat) tris(2-chloro-1-methylethyl)phosphate Oral LD50 632 mg/kg (rat) CAS: 115-10-6 dimethyl ether Inhalative LC50/4 h 308 mg/L (rat) CAS: 25791-96-2 Glycerol, propoxylated 1,999 mg/kg (rat) Oral LD50 CAS: 9082-00-2 Ethoxylated/propoxylated glycerol Oral LD50 >500 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rabbit) · Primary irritant effect: · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye irritation. · Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Suspected of causing cancer. • Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation. STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. · Aspiration hazard Based on available data, the classification criteria are not met. SECTION 12: Ecological information · 12.1 Toxicity · Aquatic toxicity: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues LC0/96 h >1,000 mg/L (brachydanio rerio) EC50/24 h >1.000 mg/L (daphnia magna)



Revision: 11.07.2019

(Contd. of page 7)

according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

(Contd. of page 8)

Trade name: illbruck FM610

tris(2-chloro-1-methylethyl)phosphate

LC50/96 h 51 mg/L (pimephales promelas)

CAS: 9082-00-2 Ethoxylated/propoxylated glycerol

LC50/48 h >100 mg/L (brachydanio rerio)

EC50/48 h >100 mg/L (daphnia magna)

EC50/72 h >1,000 mg/L (scenedesmus capricornutum)

• 12.2 Persistence and degradability No further relevant information available.

· Other information: The product is not easily biodegradable.

• **12.3 Bioaccumulative potential** No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

NOEC/21 d >10 mg/L (daphnia magna)

· Other information:

This product contains no substances in Annex I to Directive EC 1005/2009 concerning ozone depleting substances

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
16 05 05	gases in pressure containers other than those mentioned in 16 05 04	
15 01 04	metallic packaging	
HP 3	Flammable	
HP 4	Irritant - skin irritation and eye damage	
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP 7	Carcinogenic	
HP 13	Sensitising	

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1950





Page	1	0/1	2
· age		• •	_

illbruck

Safety data sheet according to 1907/2006/EC, Article 31

rinting date 11.07.2019	Version number 8	Revision: 11.07.20
ade name: illbruck FM610		
		(Contd. of page
 14.2 UN proper shipping nam ADR IMDG IATA 	ne 1950 AEROSOLS 1950 AEROSOLS AEROSOLS AEROSOLS, flamm	nable
· 14.3 Transport hazard class(es)	
ADR		
· Class · Label	2 5F Gases. 2.1	
· IMDG, IATA		
· Class · Label	2.1 2.1	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
 14.6 Special precautions for Danger code (Kemler): EMS Number: Stowage Code Segregation Code	F-D,S-U SW1 Protected from SW22 For AEROS of 1 litre: Catego capacity above 1 l AEROSOLS: Catego SG69 For AEROSO 1 litre: Segregation as for class 1 except for d For AEROSOLS with Segregation as for class 2. For WASTE AEROS	OLS with a maximum capaci ry A. For AEROSOLS with litre: Category B. For WAST ory C, Clear of living quarters. DLS with a maximum capacity class 9. Stow "separated from ivision 1.4. th a capacity above 1 litre: the appropriate subdivision of
• 14.7 Transport in bulk accord Marpol and the IBC Code		
		(Contd. on page

llbruck

according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

Trade name: illbruck FM610

	(Contd. of page 10)
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E0 Not permitted as Excepted Quantity
 Transport category Tunnel restriction code 	2 D
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

\cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes 2008/98/EC on waste

· Directive 2012/18/EU

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- Information about limitation of use: Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H315 Causes skin irritation.

(Contd. on page 12)

according to 1907/2006/EC, Article 31

Printing date 11.07.2019

Version number 8

Revision: 11.07.2019

Trade name: illbruck FM610

(Contd. of page 11) H317 May cause an allergic skin reaction. H319 Causes serious eve irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. Department issuing SDS: Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3. Previous Revision Date: 17-01-2011 (UK) Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 * Data compared to the previous version altered. GB

